

FIG. 1




FIG. 2




FIG. 3




FIG. 4

ELEMENT ID	ELEMENT NAME	POSSESSING ATTRIBUTE	ELEMENT NODE DISPLAY FLAG
N001	Node1	V002, V003, V005, V008	1
N002	Node2	V003, V005, V009	1
N003	Node3	V002, V005, V010	1

FIG. 5

56 ATTRIBUTE ID	58 ATTRIBUTE NAME	60 END FLAG	62 PARENT ATTRIBUTE	63 ATTRIBUTE INFORMATION SEARCH FLAG	64 ATTRIBUTE NODE DISPLAY FLAG
V000	V	0		0	0
V001	V1	0	V000	0	0
V002	V11	1	V001	1	1
V003	V12	1	V001	1	1
V004	V2	0	V000	0	0
V005	V21	1	V004	1	1
V006	V22	1	V004	0	0
V007	V3	0	V000	0	0
V008	V31	1	V007	1	0
V009	V32	1	V007	1	0
V010	V33	1	V007	1	0

FIG. 6

65 RELEVANCE ID	66 FROM (CONNECTION SOURCE NODE)	68 TO (CONNECTION DESTINATION NODE)	70 COMMON ATTRIBUTE ID	72 EDGE DISPLAY FLAG	74 EDGE COUPLING STRENGTH
R001	N001	N002	V003, V005	0	2
R002	N001	N003	V002, V005	0	2
R003	N002	N003	V005	0	1
R004	V003	N001		1	1
R005	V003	N002		1	1
R006	V005	N001		1	1
R007	V005	N002		1	1
R008	V005	N003		1	1
R009	V002	V003		1	1
R010	V002	V005		1	0.5
R011	V003	V005		1	0.5

FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13






FIG. 15

DISPLAY STATUS		DESCRIPTION
150	<input type="checkbox"/>	NOT BECOMING SEARCH TARGET
152	<input checked="" type="checkbox"/>	SEARCH TARGET DESIGNATION
154	<input type="checkbox"/>	SEARCH TARGET AND ATTRIBUTE NODE DISPLAY DESIGNATION